

ESD TOTAL SOLUTION

HERZESD



ESD Wire Shelf,Carts

Model	HZ-28101
Raw Material	Carbon Steel: Q195-F# Stainless Steel: 202# /304#
Surface Treatment	Electroplate /Electrolytic

Wire Diameter

- A: $\Phi 4.0\text{mm} \sim \Phi 7.0\text{mm}$, Normal Dia.: $\Phi 6.0\text{mm}$
- B: $\Phi 4.0\text{mm} \sim \Phi 7.0\text{mm}$, Normal Dia.: $\Phi 6.0\text{mm}$
- C: $\Phi 2.5\text{mm} \sim \Phi 4.7\text{mm}$, Normal Dia.: $\Phi 3.0\text{mm}$
- D: $\Phi 3.0\text{mm} \sim \Phi 6.0\text{mm}$, Normal Dia.: $\Phi 4.5\text{mm}$

Products Information:

- Metal trolleys and shelving to help control the ESD risks of internal transport and storage inside the EPA;
- Shelving and trolleys feature chrome plated wire shelves;
- About layers,4 shelves per trolley, other requirements available;
- About castors,2 braked and 2 unbraked castors (each castor capacity 70kgs.);
- Trolley height 1500mm , other sizes request is available;
- Note: All ESD trolleys have 2 ESD castors and metal collars;

Wire Shelf Type:



Industrial Wire Shelf



Single Peak Shelf



Double Peak Shelf

ESD TOTAL SOLUTION

HERZESD

Industrial Wire Shelf Size:

Width (mm)	Length (mm)	Chrome-plated Wire Shelves	Stainless Steel Wire Shelves	Width (mm)	Length (mm)	Chrome-plated Wire Shelves	Stainless Steel Wire Shelves	
350	600	C 1424	S 1424	530	900	C 2136	S 2136	
	750	C 1430	S 1430		1050	C 2142	S 2142	
	900	C 1436	S 1436		1200	C 2148	S 2148	
	1050	C 1442	S 1442		1500	C 2160	S 2160	
	1200	C 1448	S 1448		1800	C 2172	S 2172	
	1500	C 1460	S 1460		600	C 2424	S 2424	
	1800	C 1472	S 1472		750	C 2430	S 2430	
450	600	C 1824	S 1824	600	900	C 2436	S 2436	
	750	C 1830	S 1830		1050	C 2442	S 2442	
	900	C 1836	S 1836		1200	C 2448	S 2448	
	1050	C 1842	S 1842		1500	C 2460	S 2460	
	1200	C 1848	S 1848		1800	C 2472	S 2472	
	1500	C 1860	S 1860		750	900	C 3036	-
	1800	C 1872	S 1872			1200	C 3048	-
530	600	C 2124	S 2124	750	1500	C 3060	-	
	750	C 2130	S 2130		1800	C 3072	-	
Single/Double Peak Wire Shelf Size				450mm*900mm		450mm*1200mm		

Assemble Instructions:



Optional Accessories:



Pad

Collar

Wheels

N type Handle

U type Handle

ESD Wire Shelf Trolley



HZ-28102 Four Layers ESD Wire Shelf Trolley

(L) (W)	24"	26"	36"	42"	48"
14"	350×600	350×750	350×900	350×1050	350×1200
18"	450×600	450×750	450×900	450×1050	450×1200
21"	530×600	530×750	530×900	530×1050	530×1200
24"	600×600	600×750	600×900	600×1050	600×1200
(H)	940mm				



HZ-28103 Three Layers ESD Wire Shelf Trolley

(L) (W)	24"	26"	36"	42"	48"
14"	350×600	350×750	350×900	350×1050	350×1200
18"	450×600	450×750	450×900	450×1050	450×1200
21"	530×600	530×750	530×900	530×1050	530×1200
24"	600×600	600×750	600×900	600×1050	600×1200
(H)	600-2200mm				



HZ-28104 Three Layers ESD Wire Shelf Reel Trolley

Item	Size(mm)	Line Space(mm)
Single Peak	450×900	50
	450×1200	50
Double Peak	450×900	20
	450×1200	20
(H)	940mm	